

GO-DEVIL® ENGINES

GO-DEVIL® DUCK HUNTING BOATS

SURFACE DRIVE BOATS

GO-DEVIL® FLOATING BLINDS

GO-DEVIL® SURFACE DRIVES

SURFACE DRIVE BOATS

GO-DEVIL® GRASS BLINDS

GO-DEVIL® ENGINES

# SHALLOW WATER PERFORMANCE

*SINCE 1977*



SERIOUS EQUIPMENT FOR OUTDOORSMEN

# GO-DEVIL®



GO-DEVIL® MANUFACTURERS OF LOUISIANA, INC.

18649 Womack Road • Baton Rouge, LA 70817

Toll Free 888-490-3254 or 225-752-0167

Visit us on the web at [www.godevil.com](http://www.godevil.com)

[www.godevil.com](http://www.godevil.com)

225-752-0167 or 888-490-3254



## GO-DEVIL® ENGINES

CRAWFISH MODELS  
GO-DEVIL®

**CRAWFISH MODELS** are for customers with the need for serious push within limited space. Ideal for small crawfish ponds and narrow waterways.

## STANDARD SPECIFICATIONS:

- 9hp Honda; 8x4 SW Propellers
- 16hp Vanguard; 9x3 SW Propellers
- 57" Shaft (9hp)
- 57" Shaft (16hp)
- Electric Starters & Rewind Starters
- Alternators
- 9hp 140lbs.; 16hp 173lbs.

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Covers
- Water-Trap Fuel Filter

35hp VANGUARD  
GO-DEVIL®


**35hp VANGUARD** is the most powerful air-cooled single engine on the market. Ideal for very heavy loads and larger boats.

## STANDARD SPECIFICATIONS:

- 35 hp Vanguard; 10x6 or 10x5 SW Propeller
- 72" Shaft
- Electric Starter
- Alternator
- Custom aluminized muffler built for GO-DEVIL
- 35hp 225lbs.

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Swivel Bracket
- Water-Trap Fuel Filter
- High Transom Model

27hp KOHLER  
GO-DEVIL®

**27hp KOHLERS** are real workhorses when the going gets tough. Built with KOHLER dependability. Ideal for 16' to 20' boats with heavy loads.

## STANDARD SPECIFICATIONS:

- 27 hp Kohler; 9x8 or 9x7 SW Propeller
- 72" Shaft (25hp & 27hp)
- Electric Starter
- Alternator
- Mechanical Fuel Pump
- 25hp & 27hp 195lbs.

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Swivel Bracket
- Water-Trap Fuel Filter
- High Transom Model

20-24hp HONDA  
GO-DEVIL®

**20 - 24hp HONDAS** are extremely powerful engines and are built with HONDA quality to meet the rugged demands of hunters and fishermen. These engines are a must for the HONDA purist. Ideal for 16' to 20' boats.

## STANDARD SPECIFICATIONS:

- 24 hp Honda; 9x6 SW Propeller
- 20 hp Honda; 9x5 SW Propeller
- 72" Shaft
- Electric Starter
- Alternator
- Low Oil Shutdown
- 24hp & 20hp 192lbs.

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Swivel Bracket
- Water-Trap Fuel Filter
- Rewind Starter
- Crawfish Model (57" Shaft)
- High Transom Model

## GO-DEVIL® DUCK HUNTING BOATS

## GO-DEVIL® ENGINES

Mud, stumps...Nothing stops a GO-DEVIL®. Its reputation for unparalleled dependability and service has put a GO-DEVIL® in every state and province of North America. Since 1977, duck hunters, sport and commercial fishermen have experienced access to areas that no other marine engine can deliver with total confidence. Confidence that comes from over 31 years of research and testing in hostile conditions such as heavy vegetation, mud, cypress swamps and rock-laden rivers. It's been called "The Four-Wheel Drive" of marine engines.

PICTURES OF ALL ENGINE  
OPTIONS ARE AVAILABLE  
ON WEBSITE

PRESSURE  
LUBRICATOR

- Ensures proper lubrication to drive system

## INDUSTRIAL ENGINES

- Long lasting for the most extreme conditions

## SWIVEL BRACKETS AVAILABLE

## EMERGENCY KILL SWITCH

- Meets coast guard safety standards

## STEEL FRAME

- Structural carbon steel components to handle extreme shock loads that stainless, aluminum, and exotic (brittle) metals can't handle
- Standard color: OD green
- Galvanizing is available for corrosive environments such as saltwater

## MOUNTING BRACKET

- Clamps on to standard 16" short transom (no drilling required)
- Available with swivel bracket for trailering

STAINLESS STEEL  
SUPERWEEDLESS PROPELLER

- Proven performance in all types of vegetation
- Cupped blades give 4WD performance

## UPPER BEARING

- Durable performance for above water application

## GO-DEVIL® ENGINE WARRANTY

GO-DEVIL® Manufacturers of Louisiana, Inc. will repair or replace any components, on the GO-DEVIL® drive unit that we manufacture that are defective in materials or workmanship at no charge for a period of two years. Transportation charges on parts submitted for repair or replacement under this warranty must be borne by the owner of the unit. This warranty does not cover normal wear, abuse, or neglect, or damage due to the elements of nature, such as saltwater corrosion. Premature wear on shaft and/or bushing due to the lack of lubrication will not be covered by this warranty!


KOHLER  
engines

VANGUARD

HONDA  
ENGINES


## GO-DEVIL® SUPERWEEDLESS PROPELLER

The Original Shallow water propeller is backed with over 31 years of testing in the most harsh Louisiana environments. This propeller will outperform all others in the mud, vegetation or water and is also backed by our warranty for breakage. All GO-DEVIL® propellers are designed to give you maximum life. Rock Guard recommended for use in rocky environments.



www.godevil.com

## GO-DEVIL® GRASS BLINDS

23hp VANGUARD  
GO-DEVIL®


**23hp VANGUARD** is the most popular shallow water marine drive sold. The 23hp Vanguard gives you the most bang for your buck. This engine will run without a battery in the event of a battery or starter failure. Ideal for 16' to 20' boats.

## STANDARD SPECIFICATIONS:

- 23 hp Vanguard; 9x6 or 9x5 SW Propeller
- 72" Shaft
- Electric Starter & Rewind Starter
- Alternator
- Custom aluminized muffler built for GO-DEVIL
- 23hp 178lbs.

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Swivel Bracket
- Water-Trap Fuel Filter
- High Transom Model

16hp VANGUARD  
GO-DEVIL®


**16hp VANGUARD** is the smoothest running twin cylinder engine available. This engine is most popular with commercial crawfishermen. Ideal for 14' to 16' boats.

## STANDARD SPECIFICATIONS:

- 16 hp Vanguard; 9x3 SW Propeller
- 72" Shaft
- Electric Starter & Rewind Starter
- Alternator
- Custom aluminized muffler built for GO-DEVIL
- 16hp 173lbs.

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Swivel Bracket
- Water-Trap Fuel Filter
- Crawfish Model (57" Shaft)
- High Transom Model

9hp HONDA  
GO-DEVIL®

**9hp HONDA** is the perfect shallow water engine for smaller boats. Backed with the same quality as the larger HONDA engines. This engine is equipped with compression release for easy pull starting. Ideal for 14' to 16' boats.

## STANDARD SPECIFICATIONS:

- 9 hp Honda; 8x4 SW Propeller
- 72" Shaft
- Electric Starter & Rewind Starter
- Alternator
- Low Oil Shutdown
- 9hp 140lbs.

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Carrying Handle
- Swivel Bracket
- Crawfish Model (57" Shaft)

6.5hp VANGUARD  
GO-DEVIL®

**6.5hp INTEK** is our smallest engine. Weighing only 109 lbs., this engine is light enough for one person to carry. Also equipped with compression release for easy starting! Ideal on a 14' jon boat.

## STANDARD SPECIFICATIONS:

- 6.5 hp Briggs and Stratton Intek; 7x5 SW Propeller
- 58" Shaft
- Rewind Starter
- Low Oil Shutdown

## OPTIONS:

- Galvanizing
- Grab Bar Kit
- Carrying Handle
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover

## GO-DEVIL® FLOATING BLINDS

225-752-0167 or 888-490-3254

## GO-DEVIL® DUCK HUNTING BOATS



# HUNTING BOATS


PERFECT FOR LONGTAIL  
OR SURFACE DRIVE ENGINES!

EXCELLENT HANDLING  
AT HIGH SPEEDS!

GO-DEVIL® HUNTING BOAT WARRANTY

If, within one year of the purchase date, your GO-DEVIL® boat fails, we will repair any cracks or leaks. We do not warranty our boats if used with a conventional outboard motor. Warranty does not include any failure due to abuse or neglect. Warranty does not cover shipping charges.

	Length	Bottom	Beam	Transom Height	Approx. Weight	Max. Load Per./Mot./Gear	Hull	Rec. HP
16' x 38"	16'	38"	56"	16"	410 lbs.	675 lbs.	5086 .125"	16-23hp
16' x 44"	16'	44"	63"	16" or 20"	480 lbs.	768 lbs.	5086 .125"	20-27hp
16' x 56"	16'	56"	75"	16" or 20"	573 lbs.	1020 lbs.	5086 .125"	23-35hp
18' x 38"	18'	38"	56"	16"	442 lbs.	768 lbs.	5086 .125"	20-27hp
18' x 44"	18'	44"	63"	16" or 20"	525 lbs.	910 lbs.	5086 .125"	23-35hp
18' x 56"	18'	56"	75"	16" or 20"	625 lbs.	1173 lbs.	5086 .125"	35hp
20' x 38"	20'	38"	56"	16"	474 lbs.	912 lbs.	5086 .125"	23-27hp
20' x 44"	20'	44"	63"	16" or 20"	568 lbs.	976 lbs.	5086 .125"	27-35hp
20' x 56"	20'	56"	75"	16" or 20"	677 lbs.	1200 lbs.	5086 .125"	35hp



FRONT DECK

- Pointed for maneuvering in flooded timber
- Foam filled

OPEN STORAGE

- Large surface area
- Ideal for decoys and gear

STORAGE

- Ideal for life jackets and other items

HANDLE BAR

- Used for stability while driving

OPERATING AREA


- Large area for driver to work through tight conditions

FLOAT CHAMBERS

- Foam filled

GO-DEVIL® HUNTING BOATS

GO-DEVIL® hunting boats are designed and built with the duck hunter in mind. Key features make this boat perfect for all shallow water environments. The boat includes an aluminum floor installed with nonskid surface, a slick bottom with no keels to hang up on obstructions, round chines to roll off stumps, logs and ditch banks, and a double angled transom for pushing backward in mud and stumps. These boats will not slide in turns like conventional square chine flat bottom Jon boats. A handle bar to hold on to while navigating through rough terrain as well as Perko® running lights are standard on all models. All of our hunting boats have flotation in bow, side panels and under floor that meets Coast Guard standards. Visit our website for CADD drawings and dimensions.



ROUND CHINES

- Slide off obstacles, No sliding in fast turns



ANGLED TRANSCOM

- Ideal for poling backward

- OPTIONS:**  
PICTURES OF OPTIONS AVAILABLE ON WEBSITE
- Stencil Kit
  - Seat bases
  - Fishing deck
  - Trolling motor bracket
  - Floor pedestal base
  - Camo seats
  - Seat mounts
  - Seat posts
  - Battery with box
  - Six gallon fuel tank
  - Camo gas tank cover
  - Water-trap fuel filter
  - Gun box
  - Avery Quickset blind
  - Go-Devil Grass Blind
  - Poling platform
  - Headlights
  - Aluminum push pole
  - Pirogue and Duck Boat rack
  - Galvanized trailer



# SURFACE DRIVE BOATS

**EXCELLENT TRACKING  
AT IDLE SPEEDS!**

**PERFECT FOR LONGTAIL  
OR SURFACE DRIVE ENGINES!**

## GO-DEVIL® SURFACE DRIVE BOAT WARRANTY

If, within one year of the purchase date, your GO-DEVIL® boat fails, we will repair any cracks or leaks. We do not warranty our boats if used with a conventional outboard motor. Warranty does not include any failure due to abuse or neglect. Warranty does not cover shipping charges.

	Length	Bottom	Beam	Transom Height	Approx. Weight	Max. Load Per./Mot./Gear	Hull	Rec. HP
16' x 48"	16'	48"	63"	16" or 20"	475 lbs.	768 lbs.	5086 .125"	18-27hp
16' x 54"	16'	54"	71"	16" or 20"	580 lbs.	850 lbs.	5086 .125"	23-35hp
16' x 60"	16'	60"	75"	16" or 20"	580 lbs.	1020 lbs.	5086 .125"	23-35hp
18' x 48"	18'	48"	63"	16" or 20"	535 lbs.	910 lbs.	5086 .125"	23-35hp
18' x 54"	18'	54"	71"	16" or 20"	563lbs.	955 lbs.	5086 .125"	27-35hp
18' x 60"	18'	60"	75"	16" or 20"	635 lbs.	1173 lbs.	5086 .125"	27-35hp
20' x 48"	20'	48"	63"	16" or 20"	563 lbs.	976 lbs.	5086 .125"	27-35hp
20' x 54"	20'	54"	71"	16" or 20"	687 lbs.	1065 lbs.	5086 .125"	27-35hp
20' x 60"	20'	60"	75"	16" or 20"	687 lbs.	1200 lbs.	5086 .125"	27-35hp, or Twin 23hp

### OPTIONS:

PICTURES OF OPTIONS  
AVAILABLE ON WEBSITE

- Stencil Kit
- Seat bases
- Fishing deck
- Trolling motor bracket
- Floor pedestal base
- Camo seats
- Seat mounts
- Seat posts
- Battery with box
- Six gallon fuel tank
- Camo gas tank cover
- Water-trap fuel filter
- Gun box
- Avery Quickset blind
- GO-Devil Grass Blind
- Poling platform
- Headlights
- Aluminum push pole
- Pirogue and Duck Boat rack
- Galvanized trailer

## GO-DEVIL® SURFACE DRIVE BOATS

GO-DEVIL® Surface Drive Boats feature an extremely durable 1/8" thick, hardened marine-grade aluminum hull (5086) and a large open layout with compartments for dry storage. For added strength, "V" crimps have been incorporated into each side wall of the hull. Also, the new Surface Drive Boat has a large front deck which could accommodate a trolling motor for fishing or house gear in the optional below-deck storage compartment. The bow is pointed for maneuvering through tight conditions, such as flooded timbers. Seats are offered on a standard bench or on an optional split seat layout. Many other options are available on this boat to give it the customized look and feel that our customers demand.

### FRONT DECK

- Pointed for maneuvering in flooded timber
- Foam filled

### OPEN STORAGE

- Large surface area
- Ideal for decoys and gear

### STORAGE

- Ideal for life jackets and other items

### HANDLE BAR

- Used for stability while driving

### OPERATING AREA

- Large area for driver to work through tight conditions

### FLOAT CHAMBERS

- Foam filled



### ANGLED TRANSOM

- Ideal for poling backwards



### TAPERED CHINES

- Better handling than square chine boats in fast turns, Excellent tracking at idle



# SURFACE DRIVE

SURFACE DRIVE BOATS

GO-DEVIL® SURFACE DRIVES


GO-DEVIL® GRASS BLINDS

## TOUGHEST BELT DRIVE SYSTEM

- Rated For 100 HP
- Synchronous gear reduction system for more torque
- Constant velocity joint to reduce undesirable engine angle
- Ever-Dependable GO-DEVIL® seal housing and lower bronze bushing, now with a spiral groove for hydrodynamic lubrication
- Pressure lubricator
- Strongest all-steel frame in the industry!

## STAINLESS STEEL SURFACE DRIVE PROP

- Extra Heavy 11x12 3-Blade Prop



(Optional galvanized frame shown)

## TRIM TABS

- Adjustable trim tabs for total adjustment and control

## EZ-TRIM

- Trouble free EZ-Trim won't leave you stranded

## INDUSTRIAL ENGINES

- Long lasting for the most extreme conditions

## SQUEEZE THROTTLE

- Squeeze grip throttle with spring return, comfort grip, and emergency kill switch

## MULTI POSITION / FLOATING HANDLE


- Multi position / floating handle for multiple height settings and improved driver comfort

## MOUNTING BRACKET

- Mounting bracket designed for balanced performance and 170 degree steering radius

## GO-DEVIL® SURFACE DRIVE ENGINES

The GO-DEVIL® Surface Drive Engine features the toughest frame in the industry, consisting of the perfect mix of steel components that will dominate all environments. Inside the frame lies the drive train. Designed with the 3D CADD software, the drive train was engineered, hand built, and rigorously tested by our resident mechanical engineers and skilled shop hands. At the heart of the drive train, high performance gears connected through precision belts mechanically reduce the engine's revolutions, thereby generating more torque to turn a larger mud slinging propeller. Because of the overwhelming success with the components used in the drive train of the modern GO-DEVIL® Long Tail Engines, the new GO-DEVIL® Surface Drive was crafted with many of the same features in the shaft housing including the upper bearing assembly, the pressure lubricator, and the ever-dependable seal housing and lower bronze bushing, now with a spiral groove for positive pressure lubrication. Additionally, the new GO-DEVIL® Surface Drive utilizes a constant velocity joint that eliminates undesirable engine angle. At the end of the drive train rests the latest in propeller design and innovation. This new propeller is designed to cut and "sling" through the thickest mud. The new GO-DEVIL® Surface Drive is available in a variety of Vanguard and Kohler engines.



## MULTI-POSITION / FLOATING HANDLE

- Pin at various height stages or allow to float



# ENGINES



**SPEED DEMON!**  
35hp Surface Drive Engine and 16'x60" Surface Drive Boats are capable of speeds near 30 mph in shallow water with one man and no gear!

## GO-DEVIL® SURFACE DRIVE ENGINE WARRANTY

GO-DEVIL® Manufacturers of Louisiana, Inc. will repair or replace any components, on the GO-DEVIL® drive unit that we manufacture that are defective in materials or workmanship at no charge for a period of two years. Transportation charges on parts submitted for repair or replacement under this warranty must be borne by the owner of the unit. This warranty does not cover normal wear, abuse, or neglect, or damage due to the elements of nature, such as saltwater corrosion. Premature wear on shaft and/or bushing due to the lack of lubrication will not be covered by this warranty!



## GO-DEVIL® SURFACE DRIVE PROPELLER

The GO-DEVIL® Surface Drive propeller was specially designed for Surface Drive engines. We tested propellers extensively during our long research and development period. With over 100 changes to the design during this period, we produced the most refined propeller for the surface drive engines. The surface drive propeller is extra heavy built, full weedless, and designed with a high performance cup to power through the nastiest, thickest mud for a wide spectrum of boats and loads. A computer designed and machined mold allows for highly consistent propellers so that our customers obtain the maximum performance matched to these engines. Smaller diameter propellers for the surface drive engines were rigorously tested; however, they were outperformed by the larger diameters. Our surface drive propellers are made of a high grade stainless steel and are purposefully thick to ensure longevity because propeller wear on surface drives engines create a significant reduction in performance.



## 35hp VANGUARD

### GO-DEVIL® SURFACE DRIVE



**35hp VANGUARD** offers kick butt surface drive action. These engines take on the load and ask for more. Ideal for 16' to 20' Surface Drive Boats.

#### STANDARD SPECIFICATIONS:

- 35hp Vanguard; 11x12 3-Blade Propeller
- 36" Shaft
- Electric Starter
- Alternator
- Custom galvanized muffler built for GO-DEVIL
- 35hp 270lbs.

#### OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Water-Trap Fuel Filter
- High Transom Model

## 27hp KOHLER

### GO-DEVIL® SURFACE DRIVE



**27hp KOHLERS** are perfect midrange horsepower engines and are well suited for the gamut of boat sizes and loading conditions.

#### STANDARD SPECIFICATIONS:

- 27hp Kohler; 11x12 3-Blade Propeller
- 36" Shaft
- Electric Starter
- Alternator
- Custom galvanized muffler built for GO-DEVIL
- 27hp 245lbs.

#### OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Water-Trap Fuel Filter
- High Transom Model

## 18-23hp VANGUARD

### GO-DEVIL® SURFACE DRIVE



**18-23hp VANGUARDS** are lightweight, highly dependable, incredibly smooth, and stunningly fast on smaller boats and lighter loads.

#### STANDARD SPECIFICATIONS:

- 18 hp Vanguard; 11x10 Propeller-23hp; 11x12 3-Blade Propeller
- 32" Shaft
- Electric Starter & Rewind Starter
- Alternator
- Custom galvanized muffler built for GO-DEVIL
- 23hp 220lbs.
- 18hp 217lbs.

#### OPTIONS:

- Galvanizing
- Grab Bar Kit
- Tach. and Hour Meter
- Rock Guard Kit
- Camo Cover
- Water-Trap Fuel Filter
- High Transom Model



GO-DEVIL® FLOATING BLINDS

GO-DEVIL® GRASS BLINDS

# GRASS BLINDS

**REAL GRASS MOUNTS  
TO ALL ALUMINUM FRAME!**

**SETS UP IN  
JUST SECONDS**

GO-DEVIL® SURFACE DRIVES

GO-DEVIL® DUCK SKIFFS

GO-DEVIL® ENGINES

**BOAT BLINDS ARE AVAILABLE  
IN SIZES TO FIT ALL GO-DEVIL  
BOATS**

## GO-DEVIL® GRASS BLINDS

GO-DEVIL® Manufacturers of Louisiana has now added a line of removable grass boat blinds to our list of fine hunting equipment. With its strong, lightweight all-aluminum frame the GO-DEVIL® Boat Blind will provide years of trouble free operation. The perfect companions to GO-DEVIL® Hunting Boats, Surface Drive Boats, and Duck Skiffs, the new GO-DEVIL® Boat Blinds are available in 3 sizes and will fit most duck hunting boats. These blinds were designed to be adjustable, allowing for multiple set up positions. Simply raise the blind and lock it in place by hooking two brass clasps. That is all there is to it. This blind is constructed using Avery® RealGrass™ and is backed with high strength plastic netting for added durability.

### EASY MOUNTING

- Installs in boat with only (4) bases
- Attaches to bases using (4) d-clips
- Entire blind can be removed in seconds for off season storage
- No drilling in gunnels required

### DOWN POSITION

- Drops out of the way while running
- Perfect for use with GO-DEVIL Engines
- Frame fits completely inside boat



\*Grass is included with the Go-Devil Grass Blind but is not installed.

[www.godevil.com](http://www.godevil.com)

GO-DEVIL® DUCK HUNTING BOATS



# ACCESSORIES

SURFACE DRIVE BOATS

GO-DEVIL® SURFACE DRIVES

GO-DEVIL® GRASS BLINDS




**GALVANIZED  
FRAME**


**SWIVEL  
BRACKET**



**POLING  
PLATFORM**



**SEAT BASE ON DRY STORAGE**



**HARD HAT  
LIGHT**



**SEAT  
POST**




**WATER TRAP**



**CAMO ENGINE COVER**

**PUSH POLE**



**CAMO SEAT**



**CAMO TANK COVER**



**SIX GALLON FUEL TANK**



**HEADLIGHTS**



**BATTERY AND BOX**



**OPERATOR SEAT BASE**



**HONDA RECOIL STARTER**



**GRAB  
BAR  
KIT**



**TROLLING MOTOR BRACKET**



**SPUD  
POLE**



**TACHOMETER /  
HOUR METER**



**SPLIT SEATS**



**GUN BOX**



**DUCK BOAT /  
PIROGUE RACK**



**ROCK GUARD**