




Live the Legacy 2009















LONG SHAFT MO

Frame geometry? Torsional strength? Drag coefficients? Don't sweat it, we've already done the math. We've spent years perfecting our frames and components through rigorous field testing, diligent lab work, and most importantly, listening to the feedback from our family of Beavertail™ owners. Our legendary motors are the 4x4s of boat motors. Our design philosophy has strayed considerably from the pack, and our refusal to conform is why we set trends instead of follow them. With models ranging from the lightweight 6 HP to the 40 HP beast, we've got a long shaft backwater motor to suit your application.

BEAVERTAIL 6

The lightweight champ

The 6 HP is the smallest in the Beavertail line, making it the ideal choice for applications where you want to keep weight to a minimum. But despite its lightweight status, it delivers big on performance.

BEAVERTAIL 13

Straight forward and capable

The 13 Beavertail is a very capable and easy to operate motor that really delivers. It's an excellent motor for small to medium boats, and is also available in a lightweight aluminum framed model for use on sneak boats.

BEAVERTAIL 24

A Little More With Less

The 24 hp power plant provides a bit more power than our popular Beavertail 20 and weights 4 lbs less. This translates into a slightly better power to weight ratio.

BEAVERTAIL 20

The motor that does it all The 20 HP Beavertail is the perfect all-around

It's extremely tough, capable and user friendly, and it's also

economical. This makes it a popular choice for those who don't

need the extra high horse power, yet are serious about getting where others can't.

BEAVERTAIL 27

Battle tested durability and power

The 27 HP Beavertail is known as the "Iron Horse" because of its legendary toughness and brute strength. It has proven time and again that it will get you where you need to go, and back again.

For more Motor Specifications, see page 21.

BEAVERTAIL 35

The ultimate in performance
The 35 HP Beavertail is the epitome of what a Backwater motor should be. Nothing compares to the legendary power and durability of this motor. If you need the ultimate in speed and backwater capability, the 35 is for you.

PROPELLERS

Performance Series X Propeller
This is the top of the line propeller.
It is specifically designed for the combination of high speed and

aggressive mud performance.
The Series X propellers are
designed with blades specifically

shaped and negatively raked to reduce any chance of weed buildup around the propeller hub. These props are standard on all

Beavertail motors.

SWIVEL SYSTEM


Beavertail's Innovative 360° Swivel Mount (with True Spring Pin

Safety Stops) is another example of applied


owner feedback. When it comes to product development, Beavertail™ is already a leader among backwater motor manufacturers. In response to a frequent customer request - and extensive competitive analysis - Beavertail now offers a 360-degree swivel mount with the only true safety stop on the market.

























BACKWATER MOTOR SPECS

BEAVERTAIL SURFACE DRIVE MOTORS

40 HP SURFACE DRIVE

35 HP SURFACE DRIVE

27 HP SURFACE DRIVE

ENGINE DRIVE TRAIN

V-Twin Cylinder, Horizontal Shaft, OHV, Cast Iron Cylinder Liners, Aluminum Block Ground, Balanced Electroless Plated Drive Shaft 4 Cycle Command PRO

35 HP Vanguard Electric start - performance cam. Digital spark advance module. 993cc

27 Kohler Electric start - performance cam. Digital spark advance module 27 BHP @ 3600 rpm

Synchronous Belt Drive, Electric Clutch, Polished,

Synchronous Belt Drive, Electric Clutch, Polished, Ground, Balanced Electroless Plated Drive Shaft

Synchronous Belt Drive, Electric Clutch, Polished, Ground, Balanced Electroless Plated Drive Shaft

FRAME

Aircraft Grade Aluminum Frame and Housing.

Aircraft Grade Aluminum Frame and Housing.

Aircraft Grade Aluminum Frame and Housing.

BEAVERTAIL LONG SHAFT MOTORS

40 HP LONG SHAFT Available Summer 200

35 HP LONG SHAFT

27 HP LONG SHAFT

24 HP LONG SHAFT

20 HP LONG SHAFT

13 HP LONG SHAFT

6 HP LONG SHAFT

V-Twin Cylinder, Horizontal Shaft Patent pending, stainless steel removable bearing OHV, Cast Iron Cylinder Liners, assemblies. Upper and lower stainless removable Aluminum Block, caps and housings. Polished, ground, balanced 4 Cycle Command PRO

35 HP Vanguard Electric start - performance cam. Digital spark advance module. 993cc

27 Kohler Electric start - performance cam. Digital spark advance module 27 BHP @ 3600 rpm

24 Honda Electric start 670 cc

20 Kohler, Electric start - performance cam. Digital spark advance module. 20 BHP @ 3600 rpm

13 Honda Electric start / Backup pull start 390 cc

6 HP Kohler Electric start / Backup pull start and electroless nickel plated drive shaft.

Patent pending, stainless steel removable bearing assemblies. Upper and lower stainless removable caps and housings. Polished, ground, balanced and electroless nickel plated drive shaft.

Patent pending, stainless steel removable bearing assemblies. Upper and lower stainless removable caps and housings. Polished, ground, balanced and electroless nickel plated drive shaft.

Patent pending, stainless steel removable bearing assemblies. Upper and lower stainless removable caps and housings. Polished, ground, balanced and electroless nickel plated drive shaft.

Patent pending, stainless steel removable bearing assemblies. Upper and lower stainless removable caps and housings. Polished, ground, balanced and electroless nickel plated drive shaft.

Patent pending, stainless steel removable bearing assemblies. Upper and lower stainless removable caps and housings. Polished, ground, balanced and electroless nickel plated drive shaft.

Patent pending, stainless steel removable bearing assemblies. Upper and lower stainless removable caps and housings. Polished, ground, balanced and electroless nickel plated drive shaft.

Uni-seamless, robotics welded, aluminum frame. All frame parts CNC milled and laser cut for alignment accuracy.

Uni-seamless, robotics welded, aluminum frame. All frame parts CNC milled and laser cut for alignment accuracy.

Uni-seamless, robotics welded, aluminum frame. All frame parts CNC milled and laser cut for alignment accuracy.

Uni-seamless robotics welded aluminum frame All frame parts CNC milled and laser cut for alignment accuracy.

Uni-seamless, robotics welded, aluminum frame. All frame parts CNC milled and laser cut for alignment accuracy.

Uni-seamless, robotics welded, aluminum frame. All frame parts CNC milled and laser cut for alignment accuracy.

Uni-seamless, robotics welded, aluminum frame. All frame parts CNC milled and laser cut for alignment accuracy.

BOAT OPTIONS



Description:

97191 93301 **Navigation Lights** (switched front and rear with panel) 93335 Swamp Headlights (switched 1 spot, 1 flood with panel) 93336 Bilge Pump (switched) 93303 3 Interior Lights (switched) 93337 12 Volt Plug-in

93302 93304

93338 93348

93349 93305 Custom Camo Paint (can be located in front or rear) Removable Stand Up Bar Seat Pedestal Bases (welded into boat floor) Camouflage Seat (hydraulic pedestal) Center Console with Steering Wheel and Cables Side Console with Steering Wheel and Cables 15" Front Deck Extension

Item # Description:

93306 15" Front Deck Extension (with storage compartment) Call for info 28" Front Deck Extension Call for info 28" Front Deck Extension (with storage compartment) Call for info 48" Front Deck Extension (with or without

storage compartment) 93345 Trolling Motor Mount System (with wiring and plate) 93315 Wider Gun Box (each) 93346 Live Well in Starboard Wider Gun Box

91041 10' Aluminum Push Pole 91048 10' Push Pole Mounting System (installed)

93320 Bow Shooting Platform Call for Quote

PROP	FINISH	WGT.	TRAILERING
High Performance 2 Blade Stainless Steel	Flat Marine Powder Coat (Olive Drab), Zinc Rich Undercoat Primer Powder Coat	262 lbs (approx)	Conventional Style Power Tilt and Trim to Raise Prop and Shaft Above Trailer Plane
High Performance 2 Blade Stainless Steel	Flat Marine Powder Coat (Olive Drab), Zinc Rich Undercoat Primer Powder Coat	262 lbs (approx)	Conventional Style Power Tilt and Trim to Raise Prop and Shaft Above Trailer Plane
High Performance 2 Blade Stainless Steel	Flat Marine Powder Coat (Olive Drab), Zinc Rich Undercoat Primer Powder Coat	230 lbs (approx)	Conventional Style Power Tilt and Trim to Raise Prop and Shaft Above Trailer Plane

Performance Series prop. Stainless steel with cad/cam computer technology for precision accuracy. Super weedless, heavy cupped.	Flat marine powder coat (Olive Drab). Zinc rich undercoat primer powder coat	225 lbs	Tailshaft swings into the boat. Exclusive 360-degree swivel with true safety stop spring pin.* Rubber mounted, engine adjustment bolts for motor trimming capabilities
Performance Series prop. Stainless steel with cad/cam computer technology for precision accuracy. Super weedless, heavy cupped.	Flat marine powder coat (Olive Drab). Zinc rich undercoat primer powder coat	220 lbs (approx)	Tailshaft swings into the boat. Exclusive 360-degree swivel with true safety stop spring pin.* Rubber mounted, engine adjustment bolts for motor trimming capabilities
Performance Series X 9x6 or 9x7 prop. Stainless steel with cad/cam computer technology for precision accuracy. Super weedless, heavy cupped.	Flat marine powder coat (Olive Drab). Zinc rich undercoat primer powder coat	174 lbs (approx)	Tailshaft swings into the boat. Exclusive 360-degree swivel with true safety stop spring pin.* Rubber mounted, engine adjustment bolts for motor trimming capabilities
Performance Series X, 9 x 7 prop. Stainless steel with cad/cam computer technology for precision accuracy. Super weedless, heavy cupped.	Flat marine powder coat (Olive Drab). Zinc rich undercoat primer powder coat	170 lbs (approx)	Tailshaft swings into the boat. Exclusive 360-degree swivel with true safety stop spring pin.* Rubber mounted, engine adjustment bolts for motor trimming capabilities
Performance Series X 9x5 prop Stainless steel with cad/cam computer technology for precision accuracy. Super weedless, heavy cupped.	Flat marine powder coat (Olive Drab). Zinc rich undercoat primer powder coat	174 lbs (approx)	Tailshaft swings into the boat. Exclusive 360-degree swivel with true safety stop spring pin.* Rubber mounted, engine adjustment bolts for motor trimming capabilities
Performance Series X 8x4 prop. Stainless steel with cad/cam computer technology for precision accuracy. Super weedless, heavy cupped.	Flat marine powder coat (Olive Drab). Zinc rich undercoat primer powder coat	Std 145 lbs. Alum 125 lbs	Tailshaft swings into the boat. Exclusive 360-degree swivel with true safety stop spring pin.* Rubber mounted, engine adjustment bolts for motor trimming capabilities
Performance Series X 7x4 prop. Stainless steel with cad/cam computer technology for precision accuracy. Super weedless, heavy cupped.	Flat marine powder coat (Olive Drab). Zinc rich undercoat primer powder coat	70 lbs	Tailshaft swings into the boat. Exclusive 360-degree swivel with true safety stop spring pin.* Rubber mounted, engine adjustment bolts for motor trimming capabilities

Item #	Description:	Item #	Description:
93365	Bow Shooting Platform	97100	Performance Pods - Small
	(36" x 62")		(Fits 14', 15', and 16' boats)
93322	Battery	97164	Performance Pods - Medium
93358	Battery box		(Fits 17' and 18' boats)
93323	Set-back Plate	97165	Performance Pods - Large
93316	20" Transom		(Fits 20' boats)
93360	Removable Transom Riser		Trailer (galvanized, 1,500 pound capacity,
93324	Fuel Tank		
91210	Dog Ladder		
93361	Stake-off Loops (each)		
93326	Ice Breaker Corner Guards		
93328	28" Sidewalls for 48" - 60"		
91066	Keels (each)		
93381	` ,	\$179.00	(12.11.2)
		*	Skid Plate / Axle Protector
93321			Break-away Tongue
93356			
93324 91210 93361 93326 93328 91066 93381	Fuel Tank Dog Ladder Stake-off Loops (each) Ice Breaker Corner Guards	\$179.00	rubber roller guide-ons, jack stand) Trailer (galvanized, 2,450 pound capacity, rubber roller guide-ons, jack stand) for 18' x 60" and 20' boats Teflon Strips (Pair) on trailer bunks (.5" x 3 " x 8")

