



**WATERSNAKE**<sup>®</sup>  
**ELECTRIC MOTORS**



# WATERSNAKE<sup>®</sup>

## ELECTRIC MOTORS

More anglers are taking advantage of electric motors to improve their catch rate. Here at Watersnake, we know what it takes to develop motors with the best technology that deliver the edge in performance. Each Watersnake motor is designed to provide you with 'more power, more time'.

Our big range of silent and powerful motors includes bow mount and transom mount formats with various bracket, speed and control configurations to ensure there is a motor that is right for your needs.

2011 sees the release of our new wireless Slider XB range of motors. These feature-packed motors come supplied with a wireless foot control and hand remote control. It's the ultimate bow mount motor design.

The new scissor bracket 'Sidewinder SWAV' motor is also due for release. It has a rotating head design with a 7-step tilting handle.

Watersnake will continue to develop and build the best in electric trolling motors. We will constantly research and create more innovative designs to ensure that once you've tried a Watersnake you'll never again go fishing without one!

# PRODUCT GUIDE 2011

Motor Range Summary 8

Latest Technology 10

## WATERSNAKE BOW MOUNT MOTORS

Slider 12

Shadow 16

Slither 18

Sidewinder 20

Combat 22

Ambush 24

## WATERSNAKE TRANSOM MOUNT MOTORS

Advance 26

Venom ET 30

Venom Saltwater 32

Tracer 34

Asp (for Kayaks/Inflatables) 36

Watersnake Motor Accessories 38

Motor Selection Guide 40

Watersnake Inflatable Boats 43

# NEW WATERSNAKE RANGES FOR 2011

## SLIDER PRO SWXB (pg 11)



These Watersnake motors are designed for fishermen who are seeking the very best in features from a trolling motor. These powerful units will provide the ultimate performance for the serious angler.

## SIDEWINDER SWAV (pg 18)



The new Sidewinder motor from Watersnake is controlled by an extendable '7 STEP' tilting handle that will lock into your desired position and gives the angler a comfortable hands-on feel.

## ASP T24 (pg 34)



The smallest of the Watersnake range of motors the Asp motors are an ideal choice for kayaks. For 2011 we will release a higher thrust motor in 24lb. This provides an additional 33% more power than the 18lb motor.

## ADVANCE SWAD TV (pg 24)



If you're searching for the best there is to offer in transom mount motors then look no further. Watersnake Advance motors feature our 'QUICK SHIFT' Rotating Head and our '7 STEP' Tilt design that provides the angler with a distinctive edge that will translate into the ultimate success on the water.



# WATERSNAKE MOTOR RANGE SUMMARY

## TRANSOM MOUNT MOTORS

MODELS	FEATURES
<b>Asp</b>	Kayak motors
<b>Tracer</b>	Small to medium sized boat motors
<b>Venom ET</b>	Quality motors available in 12v and 24v
<b>Venom SWET</b>	Extreme saltwater motors
<b>Venom TV</b>	Variable speed motors
<b>Advance AD</b>	Rotating and tilting head motors
<b>Advance AD-TV</b>	Rotating and tilting head motors with variable speed

## BOW MOUNT MOTORS

MODELS	FEATURES
<b>Ambush DR</b>	Composite bracket hand control motors
<b>Ambush DG</b>	Alloy scissor bracket hand control motors
<b>Shadow DR</b>	Composite bracket electric foot control motors
<b>Shadow RT</b>	Composite bracket electric foot control motors with remote fob
<b>Slider XB</b>	Composite bracket with quick release plate and electric control
<b>Slider Pro XB Wireless</b>	Composite bracket fully wireless foot and remote control
<b>Slither TSB</b>	Twin shaft scissor bracket with electric foot control
<b>Combat DGV</b>	Alloy scissor bracket hand control motors with variable speed
<b>Sidewinder AV</b>	Alloy scissor bracket hand control motors with variable speed and rotating and tilting head design



**WATERSNAKE**<sup>®</sup>  
**ELECTRIC MOTORS**



**WATERSNAKE**  
ELECTRIC MOTORS

# LATEST TECHNOLOGY



### Watersnake Slider Mount

The Slider mount integrates a quick release bracket mechanism. Simply attach the lower plate to your boat, place the upper mount in position, tighten the lock screw and you're ready to fish! Release is as simple as unscrewing the locking plate lock screw located within the mount.



### Watersnake Oversized Cradle

Watersnake Slider motors are fitted with oversized cradles. When the motor is stowed, this feature provides far greater stability for the motor during rough water conditions.



### Watersnake WRT Wireless Technology

You want every advantage so we've added WRT wireless technology to the line-up on our Slider Pro series of motors. Full wireless controls give you the freedom to fish from anywhere on your boat while maintaining complete control. Both a wireless foot control and remote hand fob are supplied with the Slider Pro motors.

### Watersnake Wireless WRT Foot Control

A waterproof foot control unit that is precise in function yet simple and trouble free to use. With left or right steering control, on/off switch, dial speed control, and momentary control.

### Remote Control

Move around the boat while staying in control with a touch of your finger.






## Watersnake Quick Shift Rotating Head

Our QUICK SHIFT Rotating Head allows you to position the motor head to face any direction within 180 degrees. Changing the direction of the head is quick and easy: simply loosen the lock screw located at the top of the shaft, rotate the head to the desired position and then tighten.



## Watersnake 7 Step Tilting Head

Our motor designers know the importance of comfort and control. We want you to focus on the fishing and leave the rest to your motor. The Tilting Head design has seven positions for the tiller handle to ensure you're always fishing in comfort. To adjust the height, loosen the lock screw located on the side of the head and tilt the handle to your preferred position and tighten. The 7-Step Tilting Head also features an ergonomic handle.





**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# SLIDER

## BOW MOUNT MOTORS



These Pro  
tournament bow  
mount motors  
are packed full of  
features!

These Watersnake motors are designed for fishermen seeking the best features in a trolling motor. They are powerful units that provide the ultimate performance for the serious angler. Each motor features a large turning box for more infinite control in steering, fully encapsulated circuit boards, sacrificial zinc anodes and anti-corrosive treatments. These motors are ready for the challenge of fishing harsh saltwater environments.

Slider motors feature as standard strong but lightweight composite shafts, which are unbreakable under normal conditions. Our sleek and corrosion proof bracket features an integrated quick release plate and stowing these motors is a breeze!

We have also designed large cradles for greater stability. They allow the Slider's lower unit to nestle in safely, even when travelling in rough conditions.

The Watersnake Slider motors are available in 54lb ,80lb thrusts in 54" shaft lengths.

# Features:




## Watersnake Slider Mount

The Slider mount integrates a quick release bracket mechanism. Simply attach the lower plate to your boat, place the upper mount in position, tighten the lock screw and you are ready for the water. To release the motor simply unscrew the locking plate lock screw located within the mount.



## Watersnake Oversized Cradle

Watersnake Slider motors are fitted with oversized cradles. When the motor is stowed, this feature provides far greater stability for the motor during rough water conditions.



## Remote Control

Move around the boat while staying in control with a touch of your finger.

**Only available on pro wireless models!**



SWXB  
Wired Foot Control



Slider Pro XB  
Wireless Foot Control

## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55150	Slider SWXB54/54	54lb	12v	54"	White	XB Composite Bracket	Electric Foot Control	Variable	3-Blade
55151	Slider SWXB80/54	80lb	24v	54"	White	XB Composite Bracket	Electric Foot Control	Variable	3-Blade
55153	Slider SWXB105/54	105lb	36v	54"	White	XB Composite Bracket	Electric Foot Control	Variable	3-Blade
55206	Slider Pro Wireless FWXB54	54lb	12v	54"	Black	XB Composite Bracket	Wireless/Remote	Variable	3-Blade
55207	Slider Pro Wireless SWXB54	54lb	12v	54"	White	XB Composite Bracket	Wireless/Remote	Variable	3-Blade
55208	Slider Pro Wireless SWXB80	80lb	24v	54"	White	XB Composite Bracket	Wireless/Remote	Variable	3-Blade



**WATERSNAKE**<sup>®</sup>  
*ELECTRIC MOTORS*



# SHADOW

**BOW MOUNT MOTORS**






**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# SHADOW

## RT BOW MOUNT MOTORS



Control the direction or speed of your boat with a touch of your finger.



Freshwater models also available.



RT Saltwater


DR Saltwater

DR Freshwater

## Features:

### Remote Control

Move around the boat while staying in control with a touch of your finger. (RT models only.)



### Shadow RT

Watersnake Shadow SWRT motors incorporate leading edge electric trolling motor technology and feature a hand-held remote control unit. You can control the direction or speed of your boat with the touch of your finger, or revert to the variable speed foot control unit. Each motor is supplied with two hand-held remote units and spare units are available as an accessory.

Shadow SWRT motors are built to stringent standards, ensuring they will withstand the harsh saltwater environment. Fishermen will appreciate the sleek design and the silent-yet-powerful operation of these motors.

### Shadow DR

The Shadow DR motor is the most popular in the Watersnake range. Each motor is fitted with a stainless steel propeller shaft, weedless propeller and a corrosion free composite shaft that flexes on impact. A cut-off switch is installed that engages as soon as the motor is placed in the stowed position. The mounts are easy to install, easy to stow and light to carry. The innovative potted circuit board is fully waterproof and is sealed in the motor casing for extra protection.



Wired Foot Control

### Foot Control

keeps your hands free for casting.

## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55064	Shadow FWDR44/48	44lb	12v	48"	Black	Composite Bracket	Electric Foot Control	Variable	3-Blade
55065	Shadow FWDR54/48	54lb	12v	48"	Black	Composite Bracket	Electric Foot Control	Variable	3-Blade
55010	Shadow SWDR44/48	44lb	12v	48"	White	Composite Bracket	Electric Foot Control	Variable	3-Blade
55011	Shadow SWDR54/48	54lb	12v	48"	White	Composite Bracket	Electric Foot Control	Variable	3-Blade
55009	Shadow SWDR54/54	54lb	12v	54"	White	Composite Bracket	Electric Foot Control	Variable	3-Blade
55054	Shadow SWRT44/48 Remote	44lb	12v	48"	White	Composite Bracket	Electric Foot Control/Remote	Variable	3-Blade
55055	Shadow SWRT54/48 Remote	54lb	12v	48"	White	Composite Bracket	Electric Foot Control/Remote	Variable	3-Blade
55196	Shadow SWRT54/54 Remote	54lb	12v	54"	White	Composite Bracket	Electric Foot Control/Remote	Variable	3-Blade
55056	Shadow SWRT80/54 Remote	80lb	24v	54"	White	Composite Bracket	Electric Foot Control/Remote	Variable	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# SLITHER

## TSB BOW MOUNT MOTORS




If you encounter a lot of underwater obstacles, the Slither TSB's twin shaft design and shock absorbing mount make it the ideal choice.

### Slither TSB

This range features our superior twin-shaft design. The upper shaft is a tough alloy, for extra strength where you need it. The lower shaft is a composite material that will flex on impact. It's the ultimate combination for a trolling motor shaft. The innovative potted circuit board is fully waterproof and is sealed in the motor casing for extra protection.

# Features:




## Watersnake Anti Impact Shaft Protector

If your motor hits an underwater obstacle, this rubber coated spherical shaped aluminium ball will buffer impact from any direction up to 15 degrees. Another feature of the Anti Impact Protector is that after impact the shaft will return to a vertical position automatically.



## Slither TSB Twin Shaft

Only on Watersnake Slither motors. Combining an alloy upper section with a composite SSC lower section the Watersnake Twin Shaft provides the ultimate in strength and stability. Especially in the mount with the composite SSC lower section providing flexibility.



## Watersnake Electric Foot Control

A waterproof foot control unit that is precise in function yet simple and trouble free to use. With left or right steering control, on/off switch, dial speed control, and momentary control.

## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55080	Slither SWTSB54/54	54lb	12v	54"	White	Scissor Bracket DG1	Electric Foot Control	Variable	3-Blade
55031	Slither SWTSB80/54	80lb	24v	54"	White	Scissor Bracket DG1	Electric Foot Control	Variable	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# SIDEWINDER

## AV BOW MOUNT MOTORS




Hand Control variable speed bow mount motor incorporating our 'QUICK SHIFT' Rotating Head and '7-STEP' Tilt design for supreme comfort.

The new Sidewinder motor from Watersnake is controlled by an extendable '7-STEP' tilting handle that locks into the position you desire for a comfortable hands-on feel. It has infinite variable forward and reverse speeds, 'QUICK SHIFT' rotating head design and an LED battery meter. The Sidewinder is the ultimate choice in bow mount hand control motors.

The Sidewinder motor is supplied with an alloy scissor bracket fitted with our Anti-Impact Protector. It's fitted with stainless steel hardware plus a fully encapsulated circuit board, zinc anode to fight corrosion, stainless steel shaft and weedless propeller.

# Features:



### Watersnake Anti Impact Shaft Protector

If your motor hits an underwater obstacle, this rubber coated spherical shaped aluminium ball will buffer impact from any direction up to 15 degrees. Another feature of the Anti Impact Protector is that after impact the shaft will return to a vertical position automatically.



### Watersnake Sidewinder Rotating Head

You can have full control in comfort with this new design from Watersnake. This feature allows you to position the head in any direction within 180 degrees. Simply loosen the lock screw and tighten when the head is in the desired position.



### Watersnake LED Display

The Sidewinder LED battery meter display ensures you know what charge is remaining in your battery at all times.

## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55209	Sidewinder SWAV-54	54lb	12v	54"	White	Scissor Bracket DG1	Extendable Hand Tiller	Variable	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# COMBAT

## VARIABLE SPEED BOW MOUNT MOTORS

Watersnake Combat motors are designed for anglers wanting a variable speed, super tough and saltwater resistant hand control bow mount motor.

Our Combat motors feature infinite variable forward and reverse speed controls and are ready battle all the challenges of constant saltwater fishing.

They're available in 54lb and 80lb thrust options and the alloy scissor brackets are designed specifically to match each sized motor. The 54lb motor is supplied with a Watersnake DG1 bracket while the 80lb motor is supplied with a newly developed oversized DG2 bracket; the latter is designed to withstand the demands of frequent saltwater fishing. All brackets are fitted with Watersnake's Anti-Impact Protector.

Combat motors also feature fully encapsulated circuit boards, zinc anodes to fight corrosion, composite shafts, stainless steel propeller shafts and weedless propellers.




# Features:



### Watersnake DG2 Scissor Mount

Made from aluminium and fitted with stainless steel hardware. Features a hinged cover for easy removal of motor, easy to stow and deploy and mounting the Watersnake Scissor Mount on your boat is a breeze!



### Watersnake Anti Impact Shaft Protector

If your motor hits an underwater obstacle, this rubber coated spherical shaped aluminium ball will buffer impact from any direction up to 15 degrees. Another feature of the Anti Impact Protector is that after impact the shaft will return to a vertical position automatically.

### Telescopic Handle

Designed for ergonomic comfort the handle extends and contracts to suit your preferred position.

### Weedless Propeller



## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55189	Combat SWDG1-V54/54	54lb	12v	54"	White	Scissor Bracket DG1	Extendable Hand Tiller	Variable	3-Blade
55204	Combat SWDG2-V80/54	80lb	24v	54"	White	Scissor Bracket DG2	Extendable Hand Tiller	Variable	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# AMBUSH

## BOW MOUNT MOTORS



Great value and  
great performing  
hand control  
saltwater bow  
mount motors

This is the strong, reliable, no-frills, affordable, hand control bow mount motor you've been waiting for. Ambush motors are powered by five forward and two reverse speeds and all models have an extendable tiller handle.

Two mount configurations are available: a lightweight but strong composite mount and alloy scissor bracket mount. The SWDR-ET composite bracket motor is available in 54lb thrust. The SWDG-ET scissor bracket motor is available in 54lb and 80lb thrusts.

All Watersnake Ambush motors receive anti-corrosion treatments and are fitted with fully encapsulated circuit boards, sacrificial zinc anodes, stainless steel hardware, stainless steel propeller shafts, composite main shafts and weedless propellers.

# Features:



SWDR-ET



SWDG-ET



Telescopic handle with forward and reverse control



SWDG-ET MOUNT

## Watersnake Anti Impact Shaft Protector

If your motor hits an underwater obstacle, this rubber coated spherical shaped aluminium ball will buffer impact from any direction up to 15 degrees. Another feature of the Anti Impact Protector is that after impact the shaft will return to a vertical position automatically.



SWDR-ET MOUNT

## Watersnake Comp DR Mount

These mounts are very easy to install and also simple to stow and lightweight to carry when removing from your boat. Also features a cut-off switch that will engage as soon as the motor is in the stow position.

## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55100	Ambush SWDR-ET54/48	54lb	12v	48"	White	Composite Bracket	Extendable Hand Tiller	5 / 2	3-Blade
55107	Ambush SWDG-ET54/54	54lb	12v	54"	White	Scissor Bracket DG1	Extendable Hand Tiller	5 / 2	3-Blade
55119	Ambush SWDG-ET80/54	80lb	24v	54"	White	Scissor Bracket DG1	Extendable Hand Tiller	5 / 2	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# ADVANCE

## AD TRANSOM MOUNT



Watersnake  
Advance  
motors set the  
benchmark in  
transom mount  
motor design  
and incorporate  
the ultimate  
in comfort and  
control.

This is the very best in transom mount motors. Watersnake Advance motors feature our 'QUICK SHIFT' Rotating Head and '7-STEP' Tilt design that provides you with an edge for success on the water. Watersnake Advance motors are available in freshwater and saltwater motors in 44lb and 54lb thrusts.

The SWAD series is powered by five forward and two reverse speeds. The new SWAD-TV series has infinite variable speed controls.

All Advance motors have strong, durable, stainless steel shafts that are resistant to corrosion, plus alloy transom mount brackets. An LED battery meter is formed into the top of the motor head so you always know your remaining battery power.

# Features:



## Watersnake Advance Rotating Head

You can have full control in comfort with this new design from Watersnake. This feature allows you to position the head in any direction within 180 degrees. Simply loosen the lock screw and tighten when the head is in the desired position.



## Watersnake Advance Tilting Head

Control the height of the tiller with the Advance Tilting Head. Loosen the lock screw and locate your preferred position and then tighten the lock screw.



## Watersnake LED Display

The Advance LED battery meter display ensures you know what charge is remaining in your battery at all times.



## Watersnake Transom Mount

The Watersnake Transom Mount is made from alloy materials and features a fast tilting lever with multiple tilt positions and an adjustable height adjuster.

## Stainless Steel Shaft

Designed for strength and durability, Advance motors are supplied with stainless steel shafts. These shafts are very strong and resistant to corrosion.

## Weedless Propeller

## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55140	Advance FWAD44	44lb	12v	42"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55141	Advance FWAD54	54lb	12v	42"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55145	Advance SWAD44	44lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55146	Advance SWAD54	54lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55210	Advance SWAD-TV54 Variable	54lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	Variable	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# VENOM

## ET TRANSOM MOUNT

Venom motors are designed to provide good performance and trouble free days on the water.

All Venom motors offer power and reliability and are a popular choice among anglers all over the world. These silent running motors are available in 34lb, 44lb, 54lb, 70lb and 80lb thrusts and in various shaft lengths. Venom motors have extendable tiller handles, strong-yet-lightweight composite shafts, stainless steel propeller shafts and alloy transom brackets.

The ETW-LED motors are fitted with a 12-LED jacklight that anglers can use when fishing at night. This innovation is extremely handy when changing lures or re-rigging.

**Venom ETB:**

Freshwater motors

**Venom ETW:**

Saltwater motors

**Venom ETW-LED:**


Saltwater motors fitted with a LED jacklight



# Features:



**12 LED Jacklight**  
(ET-LED Models only)



**Heavy Duty Shaft**  
Extremely strong and durable shaft made from composite materials. Under normal conditions these shafts will never break.

**Heavy Duty Transom Bracket**

**Stainless Steel Propeller Shaft**

**Extendable Handle**

**Weedless Propeller**



## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55044	Venom ETB34	34lb	12v	30"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	2-Blade
55045	Venom ETB44	44lb	12v	36"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55046	Venom ETB54	54lb	12v	42"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55000	Venom ETW34	34lb	12v	36"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	2-Blade
55001	Venom ETW44	44lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55002	Venom ETW54	54lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55113	Venom ETW-LED34	34lb	12v	30"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	2-Blade
55114	Venom ETW-LED44	44lb	12v	36"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55099	Venom ETW-LED54	54lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# VENOM

## SALTWATER TRANSOM MOUNT

These Venom motors are purpose built for extreme saltwater conditions.

These Venom motors are purpose-built for extreme saltwater conditions. The ETW-SS motors are available in 34lb and 54lb thrust and have a short shaft design that's perfect for kayaks or inflatable boats.

Venom SWET motors are powered by five forward and two reverse speeds. The new Venom SWTV motor has infinite variable speed controls and also features anti-corrosive treatments.

The shafts on all Venom motors are composite and alloy transom mount brackets are supplied. Other features include extendable tiller handles, stainless steel propeller shafts and weedless propellers.

#### **Venom ETW-SS motors**

Saltwater Short Shaft motors for kayaks/inflatables

#### **Venom SWET motors**

Extreme saltwater motors

#### **Venom SWTV motors**

Extreme saltwater variable speed motors



# Features:

Heavy Duty Transom Bracket

Stainless Steel Propeller Shaft

Extendable Handle

Weedless Propeller



**VENOM ETW-SS MOTORS**  
Saltwater Short Shaft motors  
for kayaks/inflatables

**VENOM SWET MOTORS**  
Extreme saltwater motors

**VENOM SWTV MOTORS**  
Extreme saltwater variable  
speed motors



## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55161	Venom ETB34 Short Shaft	34lb	12v	26"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	2-Blade
55162	Venom ETB44 Short Shaft	44lb	12v	26"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55163	Venom ETB54 Short Shaft	54lb	12v	26"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55029	Venom ETW34 Short Shaft	34lb	12v	26"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	2-Blade
55073	Venom ETW54 Short Shaft	54lb	12v	26"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55050	Venom SWET44 X-SW	44lb	12v	36"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55051	Venom SWET54 X-SW	54lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55194	Venom FWTV-44 Variable	44lb	12v	36"	Black	Alloy Transom	Extendable Hand Tiller	Variable	3-Blade
55195	Venom FWTV-54 Variable	54lb	12v	42"	Black	Alloy Transom	Extendable Hand Tiller	Variable	3-Blade
55197	Venom SWTV-44 Variable	44lb	12v	36"	White	Alloy Transom	Extendable Hand Tiller	Variable	3-Blade
55198	Venom SWTV-54 Variable	54lb	12v	42"	White	Alloy Transom	Extendable Hand Tiller	Variable	3-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

# TRACER

## TRANSOM MOUNT



Value priced transom mount motors suitable for small to medium size boats.

The Watersnake Tracer FWT transom mount motors are perfect for anglers fishing to a budget. Power options include 28, 30, 34, 44 and 54lb thrust and all operate on 12V power. Each motor features a steel shaft, a fixed tiller, five forward and two reverse speeds, and a weedless propeller fitted to a stainless steel propeller shaft. The Tracer design is ideal for anyone who needs a trolling motor for a small tinnie.

The FWT-TH series share the same features as the standard Tracer motors, plus a telescopic handle.

# Features:



FWT



**Heavy Duty Alloy Transom Bracket**  
(44lb & 54lb models only)



**Heavy Duty Shaft**  
Steel shaft.



**Extendable Handle**  
(FWT TH models only)



5 x Forward / 2 x Reverse

**Stainless Steel Propeller Shaft**

**Weedless Propeller**



## Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55005	Tracer FWT28	28lb	12v	30"	Black	Nylon Transom	Fixed Hand Tiller	5 / 2	2-Blade
55006	Tracer FWT30	30lb	12v	30"	Black	Nylon Transom	Fixed Hand Tiller	5 / 2	2-Blade
55007	Tracer FWT34	34lb	12v	36"	Black	Nylon Transom	Fixed Hand Tiller	5 / 2	2-Blade
55008	Tracer FWT44	44lb	12v	36"	Black	Alloy Transom	Fixed Hand Tiller	5 / 2	3-Blade
55095	Tracer FWT54	54lb	12v	42"	Black	Alloy Transom	Fixed Hand Tiller	5 / 2	3-Blade
55097	Tracer FWT30 TH	30lb	12v	30"	Black	Nylon Transom	Extendable Hand Tiller	5 / 2	2-Blade
55098	Tracer FWT34 TH	34lb	12v	36"	Black	Nylon Transom	Extendable Hand Tiller	5 / 2	2-Blade
55102	Tracer FWT44 TH	44lb	12v	36"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55103	Tracer FWT54 TH	54lb	12v	42"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55175	Tracer FWTC30TH-30	30lb	12v	30"	Black	Nylon Transom	Extendable Hand Tiller	5 / 2	2-Blade
55177	Tracer FWTC34TH-36	44lb	12v	36"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade
55178	Tracer FWTC34TH-42	54lb	12v	42"	Black	Alloy Transom	Extendable Hand Tiller	5 / 2	3-Blade



**WATERSNAKE**  
ELECTRIC MOTORS



# ASP TRANSOM MOUNT

These motors are perfect for your kayak.

The Asp motors are the smallest in the Watersnake range and are ideal for powering kayaks and canoes. We have added a higher thrust 24lb motor to the 2011 range, which provides an additional 33% more power than the 18lb motor. Our engineers have done a remarkable job to design the 24lb motor utilizing the same lower unit diameter so it is still extremely light. We have added a new transom bracket to the 24lb motor. All Watersnake Asp motors feature a high or low speed control, forward or reverse switch, a stow away handle and a two-blade propeller. Asp motors are available in freshwater or saltwater models.



T18-SW



T18-FW



T24-SW

## Features:



**Great Controls**  
Very easy to use control scheme. Includes 2 forward speeds and 2 reverse speeds.

Stow Away Handle

2 Bladed Propeller

### Models:

CODE	MOTOR DESCRIPTION	THRUST	VOLT	SHAFT	COLOR	BRACKET	STEERING	SPEEDS	PROP
55042	Asp T18 Motor - Freshwater	18lb	12v	24"	Black	Transom	Stow-away Hand Tiller	Hi-Lo	2-Blade
55043	Asp T18 Motor - Saltwater	18lb	12v	24"	White	Transom	Stow-away Hand Tiller	Hi-Lo	2-Blade
55200	Asp T24 Motor - Freshwater	24lb	12v	24"	Black	Transom	Stow-away Hand Tiller	2 / 2	2-Blade
55199	Asp T24 Motor - Saltwater	24lb	12v	24"	White	Transom	Stow-away Hand Tiller	2 / 2	2-Blade



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

**ASP**

**TRANSOM MOUNT**





**WATERSNAKE**  
ELECTRIC MOTORS

# ACCESSORIES



**55016**  
Alloy Quick  
Release Bracket

### Watersnake Quick Release Brackets

The Watersnake quick-release bracket is designed for easy removal of your bow mount motor and is available in machined alloy or nylon. The quick release bracket system comprises two plates; the top plate is attached to the bow mount bracket, while the other is fixed on the foredeck. A simple system allows the user to quickly attach or remove a motor. Stainless steel nuts and bolts and nylon spacers are provided with the brackets.



**JM55007**  
White Nylon Quick  
Release Bracket



**NEW**  
Black Nylon Quick  
Release Bracket



### Watersnake SWRT Spare Remote Control Hand Unit

These spare hand held remotes are great for adding to your existing units or for replacing missing remote controls. Each unit comes with a set of instructions that make it easy to synchronize to your SWRT motor.

**55018** (Please note this remote is suitable for Slider Pro Wireless motors.)



### Watersnake Telescopic Extendable Motor Handle

The Watersnake Telescopic Handle can extend to 24" and will fit most tiller handles.

**52654**

### Watersnake Propeller Kits

Watersnake Propeller kits all contain a propeller, propeller nut and shear pins. It is recommended you keep a spare propeller on your boat at all times. The Mini 2-Bladed Kit is suitable for the T-18 and T-24 motors. The 2-Bladed Propeller Kit is suitable for 28lb, 30lb and 34lb motors. The 3-Bladed Medium Propeller Kit is suitable for all 44lb and 54lb motors. The 3-Bladed Large Propeller Kit is suitable for all 70lb, 80lb and 105lb motors.



**55008**  
Large 3 Blade Prop  
(70lb-105lb)



**55130**  
3 Blade Prop  
(44lb-54lb)



**55131**  
2 Blade Prop



**JM56001**  
2 Blade Mini Prop



**51441**  
12V Male  
2 wire

**51442**  
12V Female  
2 wire

**51443**  
24V Male  
3 wire

**51444**  
24V Female  
3 wire

### Watersnake Trolling Motor Connectors

Watersnake Motor Connector Plugs makes it very quick and simple to remove and replace your motor from the boat as well as providing a better connection to your power source. Available in both 12v and 24v plugs.



### Watersnake Propeller Accessory Kit

This kit is very handy and we suggest you keep one at all times. Consists of a propeller nut wrench, propeller nut and shear pins. **55132**

### Watersnake Foot Controls

Watersnake foot control units are precise in function and simple and trouble free to use. With left and right steer controls, on / off switch, dial speed control function and momentary switch.

- 55015** Watersnake DR Wired Foot Control
- 55017** Watersnake RT Wired Foot Control
- NEW** Watersnake XB Wireless Foot Control



### Watersnake Cap

A cotton cap with Velcro adjusting strap and embroidered Watersnake logo. **24404**  
FOAM FLOATING KEY HOLDER  
JM52261



### Watersnake 50 Amp Fuse Kit

We strongly recommend the use of an in-line fuse kit to protect your motor from shorts and electrical problems that can lead to over heating of circuit boards in your trolling motor. Having other devices hooked up to your motor battery can cause power surges. Watersnake Fuse Kits come supplied with a 50 amp fuse and are completely waterproof. These simple to install kits are an essential accessory for your motor. **56002**

### FLOATING FOAM KEY RING HOLDER

The Watersnake Floating Key Ring Holder are bright and easy to find and if your keys go overboard the floating foam will keep your keys on top of the water for easy retrieval. **JM52261**



### Watersnake Replacement Fuse

Replacement 50 Amp fuse to suit a Watersnake Fuse Kit. It's a good idea to always keep a spare! **JM52679**



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS


# MOTOR SELECTION GUIDE

## WATERSNAKE SHAFT LENGTH GUIDE

With your boat in water, measure the distance from the mounting surface of the transom or bow to the water level. The guide shown right will assist you to find the shaft length that best suits your boat.


Transom Mount to Water Level	Suggested Shaft Length
Up to 10"	30"
10" to 14"	36"
14" to 20"	42"
20" to 22"	48"
22" to 24"	54"

### Transom Mount Measurement




Bow Mount to Water Level	Suggested Shaft Length
14" to 20"	42"
20" to 26"	48"
26" to 32"	54"
32" to 36"	60"

### Bow Mount Measurement



## WATERSNAKE MOTOR SIZE GUIDE

The graph shown right is a general guide only. Always speak with your dealer regarding the size of motor that is most appropriate for your boat.



## WATERSNAKE CARE & MAINTENANCE

To ensure you experience years of trouble free use from your Watersnake motor we strongly suggest that after each day's fishing that you rinse your motor to remove any saltwater deposits. Also check the propeller is free from weed or old fishing line and use the propeller nut

spanner provided with your motor to ensure the prop nut is always tightened. If you experience any problems please contact your closest service centre or contact the original place of purchase.



**WATERSNAKE**<sup>®</sup>  
ELECTRIC MOTORS

**SLIDER**  
BOW MOUNT

